

Safety Cans

Type I and Type II Safety Cans

Pratt's Protectoseal™ range of safety cans offers the ultimate protection for the in-plant storage, transportation and dispensing of flammable liquids. Pratt's Type I and Type II safety cans are available in lead-free ZIACOTE™ coated steel. Type I and bottom-faucet cans are also available in electro-polished 316 stainless steel.

Type I Storage Cans



Product #	Capacity	Funnel to Suit	Height	Width	Length
4610C	0.9L (1qt.)	2336P	197 mm (7 3/4")	152 mm (6")	152 mm (6")
4611C	1.9L (2 qt.)	2336P	248 mm (9 3/4")	152 mm (6")	152 mm (6")
4612C	3.8L (1 gal.)	2336P	235 mm (9 1/4")	254 mm (10")	254 mm (10")
3612	7.6L (2 gal.)	2336Y	273 mm (10 3/4")	305 mm (12")	305 mm (12")
3613	11L (3 gal.)	2336Y	336 mm (13 1/4")	305 mm (12")	305 mm (12")
3615	19L (5 gal.)	2336Y	438 mm (17 1/4")	305 mm (12")	305 mm (12")

3615

Funnel Attachments



- > Polyethylene funnel in a snap on/snap off design
- > Sturdy attachment ideal for pouring liquids into small openings easily

2336Y (with 3613 safety can) and 2336P (with 4612C safety can)

Type II Dispensing Cans



Product #	Capacity	Height	Width	Length	Hose OD
8410B	3.8L (1 gal.)	229 mm (9")	216 mm (8 1/2")	216 mm (8 1/2")	15 mm (19/32")
8420B	7.6L (2 gal.)	273 mm (10 3/4")	248 mm (9 3/4")	248 mm (9 3/4")	15 mm (19/32")
247DF6	11L (3 gal.)	356 mm (14")	305 mm (12")	305 mm (12")	19 mm (3/4")
249DF6	19L (5 gal.)	457 mm (18")	305 mm (12")	305 mm (12")	19 mm (3/4")

249DF6 and 8410B

Dispensing Cans with Bottom Faucet



- > Ideal for bench or elevated shelf use
- > Built-in vacuum breaker provides smooth liquid flow
- > Safety latch prevents accidental opening of the faucet
- > 19L (5 gal.), 432 mm (17")H x 318 mm (12 1/2") Dia

3615

Waste Collection and Disposal

Safe collection and temporary storage of waste flammables and oil rags is easy with Pratt's Protectoseal™ range of containers and receptacles. These hazardous materials can then be transported and disposed of safely and efficiently.

Oily Waste Cans

- > Temporary disposal of flammables and oily rags or wiping cloths
- > Safeguards from spontaneous combustion
- > Opens to full 60° with slight pressure on foot treadle, closes when foot is removed
- > Foot operation for models 1401, 1403 & 1404, hand operation for model 1456



Product #	Capacity	Height	Width x Depth
1401	23L (6 gal.)	375 mm (14 3/4")	286 mm (11 1/4" Sq.)
1403	38L (10 gal.)	451 mm (17 3/4")	330 mm (13" Sq.)
1404	53L (14 gal.)	483 mm (19")	381 mm (15" Sq.)
1456	79L (21 gal.)	565 mm (22 1/4")	457 mm (18" Dia.)

1403 and 1456

Self - Closing Drum Cover



4955A

- > Converts standard 205L (55 gal.) drum to fire safe receptacle for oil waste rags
- > Fusible link construction melts automatically to drop cover and extinguish fire within the container
- > Ziacote steel cover easily detaches for emptying without removing strap

Drain Can – 1317



1317

- > Large, flash arrester protected funnel top allows fast, splash-free delivery when draining hazardous waste from other containers
- > Heavy duty pail handle makes it easy to carry
- > 19L (5 gal.), 381 mm (15")H x 305 mm (12")Dia

Waste Liquids Disposal Can



5005A

- > Large receiving opening can be clipped back for easy filling
- > Perforated-metal flash arrester prevents ignition of contents
- > Self-closing cap reduces evaporation and provides automatic pressure relief
- > 19L (5 gal.), 508 mm (20")H x 305 mm (12")Dia

Cigarette Butt Can



1305

- > Reduces the chance of a careless fire and promotes clean work environment
- > Attractive green receptacle is ideal for indoor or outdoor placement
- > 19L (5 gal.), 813 mm (32")H x 305 mm (12")Dia with 50 mm (2") tube



Waste Liquid Drum Funnels

5502A

203 mm (8") perforated metal flash arrester, for non-viscous liquids

5510

813 mm (32") brass tube, for viscous liquids or combination

- > For rapid filling of 205L (55 gal.) drums with flammable liquid waste
- > Large 266 mm (10 1/2") Ziacote™ funnel fits into standard 50 mm (2") opening
- > Fusible link construction melts automatically to drop cover and extinguish fire within the container

Laboratory and Critical Environments



F883A



XF4615C



F207V

Whatever the need, Pratt has the solution including unique storage devices for laboratories and research and development centres. These 316 stainless steel cans have been electro-polished, giving them a sleek and mirror-like finish while providing the best protection for storing high grade or pure chemicals.

F883A Oval, 3.8L (1 gal.), 330 mm (13")H x 114 mm (4 1/2") W x 190 mm (7 1/2")L

XF4615C Round, 19L (5 gal.), 457 mm (18")H x 305 mm (12")Dia

F207V Bottom faucet, round, 19L (5 gal.), 432 mm (17") H x 318 mm (12 1/2")Dia



Waste Liquids Disposal Cans

- > Easy disposal of laboratory waste liquids from beakers, test tubes and flasks
- > Extra large spout cap opens to 80°
- > 19L (5 gal.), 508 mm (20") x 305 mm (12") x 305 mm (12")

F5005A



Safety Squeeze Bottle

- > Polyethylene bottle with flexible spout
- > Nozzle contains a stainless steel ball to prevent leakage in case of tipping
- > 0.5L (1pt), 133 mm (5 1/4")H x 76 mm (3")Dia

4724F

Production and Maintenance



Pratt's Production and Maintenance products give the helping hand you need with tasks such as washing parts, applying solvents or wetting swabs and cloths. Pratt's line of Plunger Cans, Bench Cans and Swab Pails are made from ZIACOTE™ lead-free steel, and dispense a quantity of liquid with a single, one-handed pump of the dasher. Any excess liquid drains back into the can when the dasher is released preventing any leakage or spillage. Pratt's Dip Tanks make the cleaning of parts using solvents easy and safe.

218A, 241A and 1318B

Product #	Type	Capacity	Dasher Size	Height	OD
237C	Plunger Can	0.9L (1qt.)	127 mm (5")	146 mm (5 1/4")	146 mm (5 1/4")
241A	Plunger Can	1.9L (2 qt.)	127 mm (5")	210 mm (8 1/4")	140 mm (5 1/2")
242A	Plunger Can	3.8L (1 gal.)	127 mm (5")	210 mm (8 1/4")	191 mm (7 1/2")
218A	Bench Can	1.9L (2 qt.)	159 mm (6 1/4")	102 mm (4")	191 mm (7 1/2")
219	Bench Can	3.8L (1 gal.)	159 mm (6 1/4")	165 mm (6 1/2")	191 mm (7 1/2")
222	Bench Can	7.6L (2 gal.)	254 mm (10")	159 mm (6 1/4")	318 mm (12 1/2")
1318B	Swab Pail	5L (1 1/3 gal.)	159 mm (6 1/4")	229 mm (9")	203 mm (8")

Dip Tanks



Product #	Parts Basket	Capacity	Height	Length and Width
1423A	-	3.8L (1 gal.)	114 mm (4 1/2")	216 mm (8 1/2")
1425E	1415-36	12L (3 1/4 gal.)	292 mm (11 1/2")	292 mm (11 1/2") Sq.)
1426E	1416-36	19L (5 gal.)	330 mm (13")	330 mm (13") Sq.)
1428E	1418-36	30L (8 gal.)	381 mm (15")	381 mm (15") Sq.)

1426E, 1425E and 1423A



Foot - Treadle Operated Dip Tanks – 277A and 279A

- > Carry part to tank, step on the treadle and wash part
- > Cover closes when foot is removed
- > Optional parts baskets and residue trays available
- > 277A – 30L (8 gal.), 229 mm (9")H x 660 mm (26")W x 330 mm (13")D (tank)
- > 279A – 68L (18 gal.), 305 mm (12")H x 914 mm (36")W x 381 mm (15") D (tank)